

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/791,697	03/04/2004	Chao Chuan Chien	BHT/3092-416	BHT/3092-416 5085	
7:	590 06/08/2005		EXAMINER		
Dougherty & Troxell			PAUMEN, GARY F		
ONE SKYLINE PLACE SUITE 1404			ART UNIT	PAPER NUMBER	
5205 LEESBURG PIKE			2833		
FALLS CHURCH, VA 22401			DATE MAILED: 06/08/2005	DATE MAILED: 06/08/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

				μ.
		Application No.	Applicant(s)	1
		10/791,697	CHIEN, CHAO CHUAN	
. <b>O</b> i	ffice Action Summary	Examiner	Art Unit	
	•	Gary F. Paumen	2833	
The Period for Rep	MAILING DATE of this communication app ly	ears on the cover sheet with the o	correspondence address	
A SHORTE THE MAILII - Extensions of after SIX (6) I - If the period f - If NO period f - Failure to rep Any reply rec	NED STATUTORY PERIOD FOR REPLY NG DATE OF THIS COMMUNICATION. It ime may be available under the provisions of 37 CFR 1.13 MONTHS from the mailing date of this communication. For reply specified above is less than thirty (30) days, a reply or reply is specified above, the maximum statutory period with the set or extended period for reply will, by statute, eived by the Office later than three months after the mailing at term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tir y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed  /s will be considered timely. In the mailing date of this communication. ID (35 U.S.C. § 133).	•
Status				
2a)⊠ This a	onsive to communication(s) filed on <u>16 M</u> action is <b>FINAL</b> . 2b) ☐ This this application is in condition for alloward d in accordance with the practice under E	action is non-final. nce except for formal matters, pr		٠
Disposition of	Claims			
4a) O 5)	n(s) <u>21-32</u> is/are pending in the application of the above claim(s) is/are withdrawn(s) is/are allowed. n(s) <u>21-32</u> is/are rejected. n(s) is/are objected to. n(s) are subject to restriction and/o	wn from consideration.		
Application Pa	apers			
9) ☐ The s 10) ☑ The d Applic Repla	pecification is objected to by the Examine rawing(s) filed on <u>04 March 2004</u> is/are: cant may not request that any objection to the cement drawing sheet(s) including the correct ath or declaration is objected to by the Ex	a)⊠ accepted or b)□ objected to drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	ee 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).	
Priority under	35 U.S.C. § 119			
a)	by b	s have been received. Is have been received in Applicat Inity documents have been receiv In (PCT Rule 17.2(a)).	tion No red in this National Stage	·
Attachment(s)	e attached detailed Office action for a list	of the certified copies not receiv		
<ul><li>2) Notice of Dr</li><li>3) Information</li></ul>	eferences Cited (PTO-892) aftsperson's Patent Drawing Review (PTO-948) Disclosure Statement(s) (PTO-1449 or PTO/SB/08) /Mail Date	Paper No(s)/Mail D		

Application/Control Number: 10/791,697

Page 2

Art Unit: 2833

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the flat housing having a square shape as recited in claim 27 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/791,697

Art Unit: 2833

Claims 21-24 and 29-31 are rejected under 35 U.S.C. 102(b) as being anticipated by Lin 6267627.

Lin discloses (Fig. 2) flat housing 1,5, a power cable (not shown in Fig. 2) which extends at a 45 degree angle relative to the fuse 2, first conductive plate 3 (upper right), second conductive plate 3 (center), fuse seat 4, and bottom plate 13.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 25 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lin.

Lin substantially discloses the claimed subject matter except for the slots having equal widths and the flat housing having a square shape. It would have been obvious to form the slots of equal widths depending on the sizes of the fuse and wires. It also would have been obvious to form the housing in a square shape since this would not affect the function thereof.

Claims 26 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lin as applied to claim 21 above, and further in view of Yen 6547600.

Lin substantially discloses the claimed invention except for the third slot having a U-shaped cross section, and the power cable protruding from the housing parallel to the fuse. Yen discloses U-shaped third slot 31, and a power cable extending parallel to the

Application/Control Number: 10/791,697

Art Unit: 2833

fuse, and to form the third slot of Lin and orient the cable of Lin in this way thus would have been obvious, to better secure the fuse, and for ease of use.

Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lin as applied to claim 21 above, and further in view of Klemp 4679884.

Lin substantially discloses the claimed invention except for the ground terminal.

Klemp discloses ground terminal 17, and to provide Lin with a ground terminal thus would have been obvious, for safety.

Applicant's arguments with respect to claims 21-32 have been considered but are most in view of the new ground(s) of rejection.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary F. Paumen whose telephone number is 571-272-2013. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley can be reached on 571-272-2800, ext. 33. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gfp

Gary Paumen
Primary Examiner